

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of June 30, 2004  
Lodi Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	13	23	0	.	13	23
AIDS-CD4 Only	25	45	0	.	25	45
HIV Only	18	32	0	.	18	32
-----	-----	---	-----	---	-----	---
Total	56	100	0	.	56	100

2. Age *			3. Race/Eth.		Adult/Adl*		Pediatric*		Total	
Cases	%				Cases	%	Cases	%	Cases	%
-----	---	---	-----	---	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic		32	57	0	.	32	57
5-12	0	0	Black, Not Hispanic		9	16	0	.	9	16
13-19	#	#	Hispanic		12	21	0	.	12	21
20-29	#	#	Other/Unknown		#	#	0	.	#	#
30-39	18	32	-----	---	-----	---	-----	---	-----	---
40-49	22	39	Total		56	100	0	.	56	100
50+	12	21								
Unk.	0	0								
-----	---	---								
Total	56	100								

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	10	31	0	0	10	18
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	5	16	14	61	19	35
Risk not reported/other***	8	25	5	22	13	24
-----	-----	---	-----	---	-----	---
Total	32	100	23	100	55	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of June 2004.

\*\* # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Lodi Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	31	( 33)	26 ( 84)	0	( 0)	0 ( .)	31	( 33)
Other OI w/o PCP	#	( #)	# ( #)	#	( #)	0 ( 0)	#	( #)
KS Alone	#	( #)	# ( #)	#	( #)	0 ( .)	#	( #)
No Disease Listed	36	( 38)	11 ( 33)	0	( 0)	0 ( .)	36	( 38)
Total	94	(100)	57 ( 63)	#	( #)	0 ( 0)	95	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	60	64	0	0	60	63
5-12	#	#	Black, Not Hispanic	#	#	#	#	18	19
13-19	0	0	Hispanic	14	15	0	0	14	15
20-29	17	18	Other/Unknown	#	3	#	#	#	#
30-39	49	52	-----	-----	---	-----	---	-----	---
40-49	16	17	Total	94	100	#	#	95	100
Over 49	12	13							
Unknown	0	0							
Total	95	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	19	30	0	0	19	20
Injection drug user (IDU)	29	45	11	37	40	43
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	7	11	15	50	22	23
Risk not reported/other***	#	#	#	#	#	#
Total	64	100	30	100	94	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	0	0	0	.	0	0
Total	#	#	0	.	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of June 30, 2004  
Lodi Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	5	5	100%
1989	5	5	100%
1990	5	#	#
1991	5	5	100%
1992	#	#	#
1993	13	11	85%
1994	8	#	#
1995	7	#	#
1996	#	#	#
1997	7	#	#
1998	5	0	0%
1999	#	#	#
2000	#	0	0%
2001	7	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	95	57	60%